

TECHNICAL SHEET

B044		FLUID THIOGLYCOLLATE MEDIUM				
Formula						
Ingredients :		gms/lit.				
Tryptone		15.00				
Yeast extract		5.00				
Dextrose		5.50				
Sodium chloride		2.50				
L-Cystine		0.50				
Sodium thioglycollate		0.50				
Resazurin sodium		0.001				
Agar		0.75				
Final pH (at 25°C) :		7.1 ± 0.2				
Directions :						
Suspend 29.75 grams in 1000 ml distilled water. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Cool to 25°C and store in a cool dark place preferably below 25°C.						
Note: If more than the upper one-third of the medium has acquired a pink colour, the medium may be restored once by heating in a water bath or in free-flowing steam until the pink colour disappears.						
Principle :						
Dextrose, tryptone, yeast extract, L-cystine provide the growth factors necessary for bacterial multiplication. Sodium thioglycollate act as a reducing agent and neutralizes the antibacterial effect of mercurial preservatives and other heavy metal compounds which exert a bacteriostatic effect in the materials under examination. Any increase in the oxygen content is indicated by a colour change of redox indicator, resazurin to red. The small amount of agar helps in maintaining low redox potential for stabilizing the medium.						
QC Tests – (I)Dehydrated Medium						
	Colour :	Cream to yellow				
	Appearance :	Homogeneous Free Flowing powder				
(II)Rehydrated medium						
	pH (post autoclaving/heating) :	7.1 ± 0.2				
	Colour (post autoclaving/heating) :	Light straw coloured clear to slightly opalescent solution with upper 10% or less medium pink to purple on standing.				
	Clarity (post autoclaving/heating) :	Clear to very slightly opalescent solution				
(III)Q.C. Test Microbiological						
	Cultural characteristics observed after an incubation at 30-35°C for not more than 3 days.					
	MICROORGANISM (ATCC)	GROWTH				
	Bacillus subtilis (6633)	Luxuriant				
	Clostridium sporogenes (11437)	Luxuriant				
	Clostridium sporogenes (19404)	Luxuriant				
	Clostridium perfringens (13124)	Luxuriant				
	Staphylococcus aureus (25923)	Luxuriant				
	Staphylococcus aureus (6538)	Luxuriant				
	Micrococcus luteus (9341)	Luxuriant				
	Streptococcus pneumoniae (6305)	Luxuriant				
	Salmonella Typhimurium (14028)	Luxuriant				
	Salmonella Abony (NCTC6017)	Luxuriant				
	Bacteroides vulgatus (8482)	Luxuriant				
	Bacteroides fragilis (23745)	Luxuriant				
	Pseudomonas aeruginosa (27853)	Luxuriant				
	Pseudomonas aeruginosa (9027)	Luxuriant				
	Escherichia coli(25922)	Luxuriant				
	Escherichia coli (8739)	Luxuriant				
	Escherichia coli (NCTC 9002)	Luxuriant				
Precautions :		1. For Laboratory Use.				
		2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.				
Limitations :		1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.				
Use :		For sterility testing of biological and for cultivation of anaerobes, aerobes and microaerophiles.				
Storage :		Dehydrated medium- below 30°C Prepared medium – At room temperature (15-25°C) and away from light.				
Packing :		500 gm. bottle				
Product profile:		Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
B044		29.75g/l	16.80L	7.1 ± 0.2	NIL	121°C / 15 minutes

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.