

TECHNICAL SHEET

B1560	GLUCOSE OF MEDIUM		
Formula			
Ingredients:	gms/lit.		
Tryptone	2.00		
Sodium chloride	5.00		
Dipotassium hydrogen phosphate	0.30		
Glucose (Dextrose)	10.00		
Bromo thymol blue	0.08		
Agar	3.00		
Final pH (at 25°C):	6.8± 0.2		
Directions:			
Suspend 20.38 grams in 1000 ml distilled water. Heat to boiling to dissolve the medium completely. Dispense in tubes in duplicate for aerobic and anaerobic fermentation. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.			
Principle:			
Tryptone in the medium provides the necessary carbon and nitrogen, vitamins etc required for bacterial growth. Phosphate buffers the medium and the low agar concentration determines motility and dispersion of the acid produced on the surface Bromothymol blue acts as the pH indicator. The low concentration of agar permits the determination of motility and aids in the even distribution of any acid produced at the surface of the medium. Motility is observed as diffused zone of flaring out from the line of inoculation. Non-motile organisms grow along the line of inoculation.			
QC Tests – (I)Dehydrated Medium			
Colour:	Cream to greenish yellow		
Appearance:	Homogeneous Free Flowing powder		
(II)Rehydrated medium			
pH (post autoclaving/heating):	6.8 ± 0.2		
Colour (post autoclaving/heating):	Green		
Clarity (post autoclaving/heating):	Clear to slightly opalescent		
(III)Q.C. Test Microbiological			
Cultural characteristics observed after		18 – 48 hrs at 35-37°C.	
MICROORGANISM (ATCC)	AEROBIC		ANAEROBIC(OVERLAYED WITH MINERAL OIL)
Acinetobacter baumannii (19606)	Acidic reaction, yellowing of the medium	Alkaline reaction,green colour of the medium	
Alcaligenes faecalis (8750)	Alkaline reaction,green colour of the medium	Alkaline reaction,green colour of the medium	
Enterobacter aerogenes (13048)	Acidic reaction, yellowing of the medium with gas formation	Acidic reaction, yellowing of the medium with gas formation	
Escherichia coli (25922)	Acidic reaction, yellowing of the medium with gas formation	Acidic reaction, yellowing of the medium with gas formation	
Pseudomonas aeruginosa (9027)	Acidic reaction, yellowing of the medium	Alkaline reaction,green colour of the medium	
Salmonella enteritidis (13076)	Acidic reaction, yellowing of the medium with gas formation	Acidic reaction, yellowing of the medium with gas formation	
Shigella flexneri (12022)	Acidic reaction, yellowing of the medium	Acidic reaction, yellowing of the medium	
Vibrio cholerae (15748)	Acidic reaction, yellowing of the medium	Acidic reaction, yellowing of the medium	

Refer disclaimer Overleaf

TECHNICAL SHEET

Precautions :	1. For Laboratory Use. 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.				
Limitations :	1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.				
Use:	Recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria. The composition and performance criteria of this medium are as per the specifications laid down in ISO 21528-2:2017.				
Storage:	Dehydrated medium- below 30°C Prepared medium- Between 2 to 8°C.				
Packing:	500 gm. bottle				
Product profile:	Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
B1560	20.38 g/l	24.533 L	6.8 ± 0.2	Nil	121 ⁰ C/15 min.

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.