### **BIOMARK Laboratories – INDIA**

## www.biomarklabs.com

### **TECHNICAL SHEET**

BI003 Agar Powder (Extra pure)

**Specifications** 

**Appearance**: Pale Cream to light yellow coloured homogeneous free

flowing powder

Clarity (1.5% solution): Clear to slight opalescent gel

**pH (1% solution)** : 5.5 - 7.0

Moisture : NMT 12 %

Gelling Temperature: 35-40°c

Microbial Load:(CFU/g)

Total aerobic microbial count by plate method when incubated at 30-35 °c for 48

hours

Bacterial count :NMT 5000

Total Yeast and mold count by plate method when incubated at 20-25 °c for 120

hours

Yeast and mold count :NMT 250

Test for specific organisms

E.coli : Absent
Salmonella species : Absent
Pseudomonas aeruginosa : Absent
Staphylococcus aureus : Absent

### **Applications:**

As solidifying agent in Microbiological culture media at concentrations:

For routine media – 1.2.to 1.7%

For softer media -0.5%

For semisolid media - 0.15%

For inhibition of Proteus spp. - 2.0 %

#### **Precaution**

1. For Laboratory Use

**2.** Follow proper, established laboratory procedures in handling and disposing of infectious materials.

Refer disclaimer Overleaf

Rev: December 2020

# BIOMARK Laboratories – INDIA www.biomarklabs.com TECHNICAL SHEET

Storage : Below 30°c in cool, dry place.

Packing : 500 g

#### Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

Page 02 of 02

Rev: December 2020