

CERTIFICATE OF ANALYSIS

PRODUCT : Sabouraud dextrose agar

PRODUCT CODE NO.: B 1562

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Cream to light yellow
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	5.6+/-0.2
COLOR (post autoclaving/heating)	Cream to light amber
CLARITY (post autoclaving/heating)	clear to slightly opalescent gel

QUALITY CONTROL TESTS : MICROBIOLOGICAL CULTURAL RESPONSE:

Cultural characteristics observed upto 7 days at 25°C.

Organism Description	Inoculum (CFU)	Growth	Recovery
Aspergillus niger ATCC 16404	[50-100]	[Luxuriant]	[-]
Candida albicans ATCC 10231	[50-100]	[Luxuriant]	[>=70%]
Trychophyton mentagrophytes ATCC 9533	[50-100]	[Luxuriant]	[-]
Escherichia coli ATCC 25922	[50-100]	[Luxuriant]	[>=70%]
Escherichia coli ATCC 8739	[50-100]	[Luxuriant]	[>=70%]
Escherichia coli NCTC 9002	[50-100]	[Luxuriant]	[>=70%]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.

Address:- S.NO.135/1, DALVI WADI, NEAR NANDED PHATA, SINHAGAD ROAD, DHAIRI, PUNE-411041, INDIA.
Email ID:- biomarklabs@gmail.com / biomarkmktg@gmail.com, **Website:-** www.biomarklabs.com.

Rev: December 2023