

BIOMARK LABORATORIES, INDIA

CERTIFICATE OF ANALYSIS

PRODUCT : Chloramphenicol glucose yeast extract agar

PRODUCT CODE NO.: B1563

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Cream to Light yellow
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	6.6+/-0.2
COLOR (post autoclaving/heating)	Cream to yellow
CLARITY (post autoclaving/heating)	clear to slightly opalescent gel

QUALITY CONTROL TESTS : MICROBIOLOGICAL

CULTURAL RESPONSE:

Cultural characteristics observed after 3 days at 22-25°C.

Organism Description	Inoculum (CFU)	Growth	Recovery
Aspergillus niger ATCC 16404	[50-100]	[Good]	[-]
Candida albicans ATCC 10231	[50-100]	[Good]	[>=50%]
Escherichia coli ATCC 25922	[>=104]	[Inhibited]	[0%]
Saccharomyces cerevisiae ATCC 9763	[50-100]	[Good]	[>=50%]
Bacillus subtilis ATCC 6633	[>=104]	[Inhibited]	[0%]
Penicillium cyclopium ATCC 16025	[50-100]	[Good]	[-]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particulars use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid