

BIOMARK LABORATORIES

CERTIFICATE OF ANALYSIS

PRODUCT : Actinomyces broth

PRODUCT CODE NO.: B394

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
COLOR	Cream to yellow
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
pH(post autoclaving/heating)	7.2+/-0.2
COLOR (post autoclaving/heating)	Brownish yellow
CLARITY (post autoclaving/heating)	clear to slightly opalescent solution with slight precipitate

QUALITY CONTROL TESTS : MICROBIOLOGICAL

CULTURAL RESPONSE:

Cultural characteristics observed after an incubation at 25-30°C for 40-72 hours (*Incubated anaerobically)

Organism Description	Growth
*Actinomyces israelii ATCC 10049	[luxuriant]
Streptomyces achromogenes ATCC 12767	[good]
Streptomyces albus subsp albus ATCC 3004	[good]
Streptomyces lavendulae ATCC 8664	[good]
*Actinomyces bovis ATCC 13683	[good]

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.