

BIOMARK LABORATORIES - PUNE

CERTIFICATE OF ANALYSIS

PRODUCT: Gram positive rings

PRODUCT CODE NO.: BDR002

QUALITY CONTROL: PHYSICAL

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
APPEARANCE	White ring having 12 discs of 6 mm diameter each with abbreviation printed in red colour.

QUALITY CONTROL: MICROBIOLOGICAL

Average diameter of zone of inhibition in mm observed on Mueller Hinton Agar Plates (B263) at 36-37°C for 18-24 hours as per CLSI standards.

Antimicrobial Disc with concentration (mcg)	(Zone of inhibition Diameter in mm) Quality control limit in mm
Ampicillin (10mcg) AMP EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	16-22 27-35 --
Cloxacillin (5mcg) COX EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	-- 18-30 --
Erythromycin (5mcg) ERY EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	-- 22-30 --
Tetracycline (30) TET EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	18-25 24-30 --
Co trimoxazole (25mcg) COT EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	23-29 24-32 --
Cefuroxime (10mcg) CRX EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	-- -- --
Gentamicin (10mcg) GEN EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	19-26 19-27 16-21
Ciprofloxacin (5mcg) CIP EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	30-40 22-30 25-33

BIOMARK LABORATORIES - PUNE

Augmentin (30mcg) AUG/ amoxyclav EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	18-24 28-36 --
Vancomycin (30mcg) VAN EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	-- 17-21 --
Meropenem (10mcg) MEM EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	28-34 29-37 27-33
penicillin (1.5mcg) PEN EC (ATCC 25922) SA (ATCC 25923) PS (ATCC 27853)	-- -- --

This is to certify that this lot passes and it confirms to the above mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.