

# **BIOMARK LABORATORIES - PUNE**

## **CERTIFICATE OF ANALYSIS**

**PRODUCT: Gram Positive (Paper ring with 12 disc)**

**PRODUCT CODE NO.: BDR008**

**QUALITY CONTROL: PHYSICAL**

<b>PARAMETERS</b>	<b>SPECIFICATIONS/STANDARD VALUES</b>
<b>APPEARANCE</b>	<b>Filter paper ring of 12 discs</b>

**QUALITY CONTROL: MICROBIOLOGICAL**

Average diameter of zone of inhibition in mm observed on Mueller Hinton Agar Plates (B263) at 35-37°C for 18-24 hours as per CLSI / NON CLSI standards.

<b>Antimicrobial Disc with concentration (mcg)</b>	<b>Results observed (Zone of inhibition Diameter in mm)</b>		
	<b>Escherichia coli ATCC 25922</b>	<b>Staphylococcus aureus ATCC 25923</b>	<b>Pseudomonas aeruginosa ATCC 27853</b>
Ampicillin 10 mcg			
Meropenem 10mcg			
Ceftazidime 10mcg			
Cefuroxime 10mcg			
Tetracycline 30mcg			
Ciprofloxacin 5mcg			
Augmentin 30mcg			
Cephalexin 1.5mcg			
Cotrimaxoxazole 25mcg			
Erythromycin 5mcg			
Gentamycin 10 mcg			
Vancomycin 30 mcg			

**Address:-** S.NO.135/1, DALVI WADI, NEAR NANDED PHATA, SINHAGAD ROAD, DHAIRI, PUNE-411041, INDIA.

**Email ID:-** biomarklabs@gmail.com / biomarkmktg@gmail.com, **WebSite:-** [www.biomarklabs.com](http://www.biomarklabs.com).

Rev: January 2025

# **BIOMARK LABORATORIES - PUNE**

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.

---

**Address:-** S.NO.135/1, DALVI WADI, NEAR NANDED PHATA, SINHAGAD ROAD, DHAIRI, PUNE-411041, INDIA.

**Email ID:-** biomarklabs@gmail.com / biomarkmktg@gmail.com, **WebSite:-** [www.biomarklabs.com](http://www.biomarklabs.com).

Rev: January 2025