

# BIOMARK LABORATORIES, INDIA

## CERTIFICATE OF ANALYSIS

PRODUCT : Yeast extract powder

PRODUCT CODE NO : BI 126

### QUALITY CONTROL:

PARAMETERS	SPECIFICATIONS/STANDARD VALUES
Color	Light yellow to brownish yellow
Appearance	Hygroscopic free flowing powder with characteristic odour.
Clarity (2% solution)	Clear
pH (2% solution)	7.0+/- 0.5
Moisture	NMT 6%
1)Bacterial Count -	NMT5000
2)Yeast & Mold Count	NMT250
1) Escherichia coli	Absent
2) Salmonella species	Absent
3) Pseudomonas aeruginosa	Absent
4) Staphylococcus aureus	Absent
tryptophan content	after addition of kovac's reagent red on interface of medium
Cultural response:after incubation at35-37 for18-24hrs	-
cultural charecterstics are observed by preparing B298 PCA	-
Escherichia coli ATCC 25922	Luxuriant
Bacillus subtilis ATCC 6633	Luxuriant
Enterococcus faecalis ATCC29212	Luxuriant
Lactobacillus casei ATCC9595	Luxuriant
Staphylococcus aureus ATCC 25923	Luxuriant
Streptococcus pyogenes ATCC 19615	Luxuriant

This is to certify that this lot passes and it conforms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.

Address:- S.NO.135/1, DALVI WADI, NEAR NANDED PHATA, SINHAGAD ROAD, DHAIRI, PUNE-411041, INDIA.  
Email ID:- biomarklabs@gmail.com / biomarkmktg@gmail.com, Web Site:- [www.biomarklabs.com](http://www.biomarklabs.com)

Rev: January 2026