

CERTIFICATE OF ANALYSIS

PRODUCT : Antibiotic assay medium no.19 (antibiotic assay medium -g) i.p.

PRODUCT CODE NO.:BS013

QUALITY CONTROL TESTS : DEHYDRATED MEDIUM

PARAMETERS	STANDARD VALUES
COLOR	Cream to Light yellow
APPEARANCE	Homogenous free flowing powder

QUALITY CONTROL TESTS : REHYDRATED MEDIUM

PARAMETERS	STANDARD VALUES
pH(post autoclaving/heating)	6.1+/-0.2
COLOR (post autoclaving/heating)	Light to medium yellow
CLARITY (post autoclaving/heating)	Clear to slightly opalescent

QUALITY CONTROL TESTS : MICROBIOLOGICAL

CULTURAL RESPONSE:

Cultural characteristics observed after incubation at 29-31° C for 24-48 hours.

Organism Description	Inoculum (CFU)	Growth	Recovery	Antibiotics assayed
Saccharomyces cerevisiae ATCC 2601	50-100	luxuriant	>=70%	Nystatin
Saccharomyces ATCC 9763	50-100	luxuriant	>=70%	Amphotericin B, Candididin

This is to certify that this lot passes and it confirms to the above-mentioned tests and specifications. The information given here is believed to be correct and accurate, however, both the information and products are offered without warranty for any particular use, other than that specified in the current Biomark literature. The results reported were obtained at the time of release.

This document has been produced electronically and is valid.