

## TECHNICAL SHEET

<b>B1170</b>	<b>ECD AGAR</b>				
<b>Formula</b>					
<b>Ingredients:</b>		<b>gms/lit.</b>			
Casein enzymic hydrolysate		20.00			
Yeast extract		5.00			
Bile salts		1.50			
Sodium chloride		5.00			
Disodium hydrogen phosphate		5.00			
Potassium dihydrogen phosphate		1.50			
Agar		15.00			
Final pH (at 25°C): 7.2± 0.2					
<b>Directions:</b>					
Suspend 53.0 grams in 1000 ml distilled water. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Cool to 45-50° C. Pour into sterile Petri plates.					
<b>Principle:</b>					
The medium has casein enzymic hydrolysate and yeast extract which provide essential nutrients especially nitrogenous sources for the coliforms. Bile salts selectively inhibit gram-positive organisms. Sodium chloride maintains the osmotic balance while phosphate salts buffer the medium.					
<b>QC Tests – (I)Dehydrated Medium</b>					
	Colour:	Cream to yellow			
	Appearance:	Homogeneous Free Flowing powder			
<b>(II)Rehydrated medium</b>					
	pH (post autoclaving/heating) :	7.2± 0.2			
	Colour (post autoclaving/heating):	Yellow			
	Clarity (post autoclaving/heating):	Clear to slightly opalescent			
<b>(III)Q.C. Test Microbiological</b>					
	Cultural characteristics observed after 18-24 hours at 35-37°C.				
	MICROORGANISM (ATCC)	GROWTH			
	Escherichia coli (25922)	good-luxuriant			
	Enterobacter aerogenes(13048)	good-luxuriant			
	Salmonella Typhi (6539)	good-luxuriant			
	Staphylococcus aureus (25923)	Inhibited			
<b>Precautions :</b>	1. For Laboratory Use. 2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.				
<b>Limitations :</b>	1. Since the nutritional requirements of organisms vary, some strains may be encountered that fail to grow or grow poorly on this medium.				
<b>Use:</b>	Recommended for the selective detection of coliforms, especially Escherichia coli in water, food, and other material and in membrane filter technique.				
<b>Storage:</b>	Dehydrated medium- below 30°C Prepared medium– Between 2 to 8°C.				
<b>Packing:</b>	500 gm. bottle				
<b>Product profile:</b>	Reconstitution	Quantity on Preparation (500g)	pH (25°C)	Supplement	Sterilization
<b>B1170</b>	53.0g/l	9.43L	7.2 ± 0.2	Nil	121°C / 15 minutes

**Disclaimer:**

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARK LABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.