

**BF029**

**C.B.I. SUPPLEMENT**

**FORMULA**

**Ingredients :**

(Per vial, sufficient for 450 ml. medium)

Cycloserine	125.00 mg
Sulphamethoxazole	38.00 mg
Trimethoprim	2.00 mg

**Directions :**

Rehydrate the contents of 1 vial aseptically with 2 ml ethanol. Mix well and aseptically add to 450ml of sterile, molten C. botulinum Agar Base (B446) along with 50ml Egg Yolk Emulsion (BF003). Mix well and pour into sterile Petri plates.

**Precautions :**

1. For Laboratory Use.
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.

**Use :**

An antibiotic supplement recommended for the selective isolation of Clostridium botulinum.

**Storage:** Between 2 to 8°C.

**Packing :** 5 vial

**Disclaimer:**

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.