

TECHNICAL SHEET

BF083

NOVOBIOCIN SUPPLEMENT

FORMULA

Ingredients:

(Per vial sufficient for 250/1000 ml medium)

Novobiocin 5.00 mg

Directions:

Rehydrate the contents of 1 vial aseptically with 2 ml sterile distilled water & Aseptically add to 1000 ml of sterile, molten RS Medium Base (B388)/Modified Soyabean Bile Broth Base (B1490), Modified EC Broth Base (B644) for 250 ml. Mix well and pour into sterile Petri plates. It is also used in 250 ml of Tryptic Soya Broth, Modified (mTSB) (B1440).

Precautions : 1. For Laboratory Use.
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.

Use: An antibiotic supplement recommended for the presumptive identification of *Aeromonas hydrophila* and detection of *E. coli* 0157:H7 from food and animal feeding stuffs.

Storage: Between 2 to 8°C.

Packing: 5 vials

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARK LABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.