

**BF140**

**XLT4 SUPPLEMENT**

**FORMULA**

**Ingredients:**

(40 ml per vial)

Tergitol 4	27%
------------	-----

**Directions:**

Warm up XLT4 Supplement to 45-50°C and use in XLT4 Agar base (B010), add 4.6 ml of XLT4 Supplement. Heat to boiling to dissolve the medium completely. Do not autoclave. Mix well and pour into sterile petri plates.

**Precautions :**

1. For Laboratory Use.
2. Follow proper, established laboratory procedures in handling and disposing of infectious materials.

**Use:** Isolation of non-typhi Salmonella

**Storage:** Between 2 to 8°C.

**Packing:** 5 vials

**Disclaimer:**

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related BIOMARKLABORATORIES publications.

The information contained in this publication is based on our in-house studies and market performance and is to the best of our knowledge true and accurate. BIOMARK LABORATORIES reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.